重量級發燒資訊搶先報! 4F 展示區－【景春園】極品音響

今年高雄音響展的最大展示房【景春園】，將由極品音響重磅展出!極品音響成立於 2009 年，目標是把世界上最好的產品引進到台灣，引導台灣的聽眾了解、欣賞進而實踐生活美學。

主要展示器材:
Burmester 111、Burmester 909 MK5、Burmester 948、Estelon Extreme、Estelon XA、Estelon XB

【Burmester 111 音樂中心】
德國知名 Hi End 品牌 Burmester 的產品除了喇叭、擴大機與唱盤等產品外，現在更是追上數位串連播放的潮流，推出 Burmester 111 音樂中心。這部功能強大的音樂伺服器可以幫你建構你的家庭音樂中心，有了它，你可能什麼訊源都不再需要了！
目前多數高階機種爭相追求的網路串流播放對 111 來說只是基本功能，它甚至還可讀取 CD，rip CD，並可透過有線或無線網路連接，串流播放電腦或是手持裝置中的音樂。內建 2 個硬碟（最高支援至 3TB）可儲存從 CD rip 的音樂，可支援 Flac、WAV、

MP3 等檔案，並可透過由 Burmester 所開發的 app 控制軟體，使用 iPad 等手持裝置做操控，且資料庫會 自動檢測檔案，並增加缺少的專輯封面或是專題名稱。

【來自愛沙尼亞的 Estelon Extreme 旗艦級喇叭】
Estelon 不斷追求完美喇叭的設計並累積多年來的知識與經驗，發表引以爲傲的旗艦級喇叭 - Estelon Extreme。 以大理石爲主的複合式材料塑造而成的藝術品般外觀，已經是 Estelon 的註冊商標。近期更揭曉 Extreme 榮獲了 2015 CES ”最佳創新獎”。Extreme 的設計中最明顯的變化是上下兩個箱體。上半部像是一個倒放的三角錐，構成高音、中高音與中音單體的獨立箱體。下半部則是另一個尖端朝上的三 角錐，構成兩只低音單體的獨立箱體。上部箱體可依據用家自己的視聽環境來調整高音的位置，以達到最好的聲音表現。兩隻喇叭的銜接處，就是調整中高音箱體的 軌道，調整範圍從 177cm 到 207cm，分爲五段調整。藉由調整高度 Extreme 可根據不同聆聽距離設定最佳高度，在最理想的狀態下讓音樂重播。 Extreme 的設計可謂喇叭設計的一大創舉！

【光芒耀眼的美聲女神，來自愛沙尼亞的 Estelon XB 喇叭】
2011 年美國 CES 大展，一對來自愛沙尼亞的落地喇叭，更以絕美如女神的翩然姿態擄獲世人目光，拿下創新設計大獎，這個初登場就光芒萬丈的耀眼新星，就 是具體展現愛沙尼亞人無與倫比的美學與科技實力、橫掃全球 Hi-End 音響圈的頂級喇叭──Estelon（愛詩特濃）。「女神二號」XB 現身，有著 Estelon 辨識度很高的 E-Ion 箱體造型，喇叭尺寸適合家用擺放，加上新款自然散熱的陶磁單體，魅力更上層樓，聽聽看 XB 是不是變得更甜美自然了！

首次曝光: ARTESANIA AUDIO 音響架

ARTESANÍA AUDIO

the high end rack company

ARTESANIA 20 年前創立於"西班牙"，創立者兼工程師的 José Luis Lafarga 也是一位發燒友。ARTESANIA 在音響器材上致力於使用一種叫"音頻反共振處理"(Acoustic Anti-Resonant Treatment)對待每一個細節，以提供出色的線性度和中性自然的聲音。

ARTESANIA 音響架在每一個細節都有其獨到的設計和處理，在下方照片中可以看到每一個環節的說明和處 理方式，處理振動是非常細微和精密的工作，特別聲音是非常敏感、容易受到外界影響的，許多原理都是說得容易、做得難。唯有兼具經驗和技術的廠家能夠妥善地 處理，這也是發燒級音響架的價值。

Technical Construction Details

1 PLATFORM
A **stainless steel, anti-magnetic** structure supports a specially treated base to set up a turntable or other components. Different versions and materials are available. Check **accessories brochure.**

2 STAINLESS STEEL TOP ATTACHMENTS ON RACK UPRIGHTS
Each top is made with **conical recess** to support the spikes of the turntable platform.

3 EXTERNAL STRUCTURE
It´s made of metal filled with special particles and elastomers. The uprights have a **diameter of 60 mm.** These factors create a **rack heavy, resistant and stable.** The resonance coefficient of the structure is significantly lowered. The paint used is textured for diffusion purposes.

4 INTERNAL SUSPENDED STRUCTURE
Isolated from external structure. **Eliminates vibrations** that are transmitted from solid and acoustic sources through the creation of decouples; steel needles supported on isolating discs. These provide extra tiers of **anti-resonant protection**. This suspended audio rack has a **triple decoupling.**

5 TEFLON CILINDERS
Support the internal structure and isolates from the external structure. **(Diameter 38 mm)**

6 EARTH TERMINAL
To connect electronics (essential for phono) Check manual to connect properly if is necessary.

7 BRIDGE BAR
Height variable rear rods strengthen the external structure to guarantee stability and ensure **free easy access to install components.**

8 INTERNAL FRAME
These frames are adjustable in height to place any size of component properly. They are locked on the vertical stainless steel bars of the suspended structure.

9 LINEAR ARMS
Arms made from anti-magnetic stainless steel. The arms hold adjustable spikes (can be located in different positions) also support isolating discs and damping pads. **Total flexibility in different positions and easy to change.**



This system allows to set up the best support position to place electronic components.

10 ISOLATION DISCS
Support each of the electronic components (without any need for shelves). Easy installation facilitated by an elastic insert which provides stability to place electronic components on the adjustable spikes.

11 STABILIZER BAR
Located in the internal structure they stop the tiniest pendular movement of the internal structure. Four in each rack, located at the lowest part of the internal structure. Check manual to use it properly.

12 DECOUPLING BASE
Stainless steel discs support the spikes of the uprights. Two types of floor pads are included, with different sonic behavior, depending on the room acoustics. **Check manual to use the proper pads for the bases.**

Accessories included

Dampers.
Special **anti-magnetic** & **anti-vibration** damper improved 2,4 kg. to avoid parasitic vibrations.

Damping pads.
Includes **neoprene** and white **teflon** discs to use depending on room acoustics treatment.

Isolation discs.
Includes **neoprene** and white **teflon** discs to use depending on room acoustics treatment.

Check accessories catalog for more options.

Versions



Any special & custom version upon request

All racks are supplied 95% assembled



另外位於 **6F**的 **634** 房同樣由極品音響公司重點展示**:**

訊源Playback MPS-3、綜合擴大機Playback IPS-3、喇叭Dali Epicon 8

左爲Burmester 961 MK3，右爲Burmester B25

Dali Rubicon family

極品音響: http://topaudio.tw/